

PLANETARY HYDRAULIC WINCHES



**4.5-8.6 Tons Pulling
Capacity Options**

KHB SERIES PLANETARY HYDRAULIC WINCHES

- Extra Reinforced Planetary Gear System
- Lightweight and Powerful Design
- Hydraulic Multidisc Brake System
- Standard Winch Guide System and Rope Stabiliser
- Manual & Pneumatic Cable Release Options



KHW SERIES PLANETARY HYDRAULIC WINCHES

- High-strength, long-lasting steel body
- Extra reinforced planetary gear system with special steel heat treatment
- Lightweight and powerful design
- Standard winch guide system and rope stabiliser
- Manual winch discharge system provided as standard



EN
14492-1



KHB-4T

Rope Winding Count	Pulling Capacity kg
1	4000
2	3450
3	3150
4	2900
5	2620

Maximum Pulling Force	: 4000 Kg
Maximum Rope Diameter	: 10 mm
Maximum Pump Flow	: 60 L
Maximum Operating Pressure	: 140 Bar
Recommended Gear Oil Product	: 80w 90 - 0.4 L
Weight	: 97 Kg



KHB-5T

Rope Winding Count	Pulling Capacity kg
1	5000
2	4200
3	3880
4	3655
5	3340

Maximum Pulling Force	: 5000 Kg
Maximum Rope Diameter	: 10 mm
Maximum Pump Flow	: 60 L
Maximum Operating Pressure	: 140 Bar
Recommended Gear Oil Product	: 80w 90 - 0.4 L
Weight	: 99 Kg



KHB-6T

Rope Winding Count	Pulling Capacity kg
1	6000
2	5200
3	4700
4	4350
5	3950

Maximum Pulling Force	: 6000 Kg
Maximum Rope Diameter	: 12 mm
Maximum Pump Flow	: 60 L
Maximum Operating Pressure	: 140 Bar
Recommended Gear Oil Product	: 80w 90 - 0.4 L
Weight	: 107 Kg



KHB-7.3T

Rope Winding Count	Pulling Capacity kg
1	7300
2	6100
3	5250
4	4700
5	4250

Maximum Pulling Force	: 7300 Kg
Maximum Rope Diameter	: 12 mm
Maximum Pump Flow	: 60 L
Maximum Operating Pressure	: 140 Bar
Recommended Gear Oil Product	: 80w 90 - 0.5 L
Weight	: 107 Kg



KHB-7.7T

Rope Winding Count	Pulling Capacity kg
1	7700
2	6500
3	5650
4	5100
5	4650

Maximum Pulling Force	: 7700 Kg
Maximum Rope Diameter	: 14 mm
Maximum Pump Flow	: 60 L
Maximum Operating Pressure	: 140 Bar
Recommended Gear Oil Product	: 80w 90 - 0.5 L
Weight	: 116 Kg



KHB-8.6T-P

Rope Winding Count	Pulling Capacity kg
1	8600
2	7400
3	6650
4	6000
5	5550

Maximum Pulling Force	: 8600 Kg
Maximum Rope Diameter	: 14 mm
Maximum Pump Flow	: 60 L
Maximum Operating Pressure	: 140 Bar
Recommended Gear Oil Product	: 80w 90 - 0.5 L
Weight	: 117 Kg



KHW-10K

Rope Winding Count	Pulling Capacity kg
1	4535
2	3635
3	3030
4	2600

KHW-12K

Rope Winding Count	Pulling Capacity kg
1	5443
2	4805
3	4300
4	3585



KHW-15K

Rope Winding Count	Pulling Capacity kg
1	6800
2	5495
3	4610
4	3970

Maximum Pulling Force	: 6800 Kg
Maximum Pump Flow	: 60 L
Maximum Operating Pressure	: 140 Bar
Hydromotor	: 80 cc
Maximum Rope Diameter	: 12 mm
Weight	: 69 Kg

CERTIFICATES





KOZMAKSAN



KozmaksanPTO



kozmaksanpto

**1. Organize Sanayi Bölgesi Erkunt Caddesi No:6
Sincan /Ankara - TÜRKİYE**



copyright
all rights reserved

**+90 312 267 39 71
www.kozmaksan.net
order@kozmaksan.com.tr**

